


STRAIGHT ADAPTORS

L-AC

NPTF MALE X NPTF FEMALE

NPTF MALE X NPTF FIXED FEMALE STRAIGHT

- SAE J514



Part Number	T1	T2	H1 (mm)	L1 (mm)	PN (bar)
L-AC-0202	1/8-27	1/8-27	16	16	345
L-AC-0204	1/8-27	1/4-18	31.5	10.5	275
L-AC-0402	1/4-18	1/8-27	14	22	275
L-AC-0404	1/4-18	1/4-18	36.6	15	275
L-AC-0406	1/4-18	3/8-18	36.6	15	210
L-AC-0602	3/8-18	1/8-27	19	22	210
L-AC-0604	3/8-18	1/4-18	19	22	210
L-AC-0606	3/8-18	3/8-18	22	36	210
L-AC-0608	3/8-18	1/2-14	42.7	16	210
L-AC-0802	1/2-14	1/8-27	22	30	210
L-AC-0804	1/2-14	1/4-18	22	30	210
L-AC-0806	1/2-14	3/8-18	22	30	210
L-AC-0808	1/2-14	1/2-14	29	47	210
L-AC-0812	1/2-14	3/4-14	49	19.5	170
L-AC-1204	3/4-14	1/4-18	27	30	170
L-AC-1206	3/4-14	3/8-18	27	30	170
L-AC-1208	3/4-14	1/2-14	27	30	170
L-AC-1212	3/4-14	3/4-14	55.4	19.5	170
L-AC-1606	1-11.1/2	3/8-18	36	35	140
L-AC-1608	1-11.1/2	1/2-14	36	35	140
L-AC-1612	1-11.1/2	3/4-14	36	35	140
L-AC-1616	1-11.1/2	1-11.1/2	62.5	25.5	140
L-AC-2012	1.1/4-11.1/2	3/4-14	46	37	80
L-AC-2016	1.1/4-11.1/2	1-11.1/2	46	37	80
L-AC-2412	1.1/2-11.1/2	3/4-14	39.9	27.5	70
L-AC-2416	1.1/2-11.1/2	1-11.1/2	50	40	70
L-AC-2420	1.1/2-11.1/2	1.1/4-11.1/2	50	40	70
L-AC-3216	2-11.1/2	1-11.1/2	44.5	27.5	70
L-AC-3220	2-11.1/2	1.1/4-11.1/2	44.5	27.5	70
L-AC-3224	2-11.1/2	1.1/2-11.1/2	65	45	70

